



FIXTURE

BACKLITE PANEL

BURIAL LIGHT

BOLLARD BULKHEAD

FLOOD LIGHT STREET LIGHT

GARDEN LIGHT WALL LIGHT

CEILING SURFACE


FOOTLIGHT SURFACE & CONCEAL

Complete Solution for
INDOOR & OUTDOOR

LED
LIGHTS **2022**
CATALOGUE

INDEX

1	Shine Magnetic Light	3-5
2	Shine Indoor Fixture	6-17
3	Shine Downlighter	18
4	Shine Indoor Wall Light	19
5	Shine Outdoor Wall Light	21-32
6	Shine Outdoor Garden Light	33-35
7	Shine Outdoor Ceiling/Surface	36-38
8	Shine Outdoor Ceiling/Surface	39-44
9	Shine Outdoor Burial Light	45-47
10	Shine Outdoor Bollard	48-56
11	Shine Outdoor Bulkhead	57



Why Shine ?

Technology Oriented: The lighting solutions at *Shine* are developed with latest technology and are designed to meet future needs. Today, LEDs are a lot more than mere energy-saving devices. Their efficiency and easy adaptability to dynamic shapes and forms have opened new avenues for us to explore and innovate with the latest technology.

Customer Centricity: *Shine* has an extensive network across the country, who help in delivering seamless services to our esteemed customers. We provide application-specific solutions through customized products to meet customers' needs perfectly.

Manufacturing Excellence: Having our own manufacturing unit enables us to experiment and innovate with technology. LEDs have redefined the rules of luminaries design and have given us the opportunity to present light in new and exciting forms.

Experts in Lighting Solution: We have a team of highly-qualified, well-experienced Lighting Design Professionals and Application Experts who that understand and deliver optimum lighting solutions as per our clients' requirements.

Awards & Recognition: *Shine* is a recognized start-up under the DIPP initiative of Indian Government. Shine has also won India's Best 5000 MSME company award in 2020. Shine complies with ISO 9001:2015, CE, RoHS.

Safety & Environmental Protection: *Shine* is committed to the 'Safety & Environmental protection policy' and truly believes that by strict adherence to these depicted policies we can avoid any accidents/damages either to the personnel or environment.


Shine Magnetic Light



Shine Magnetic Light


RML-0103 VESTA

WATTAGE: 3w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K
BEAM ANGLE: 3°
MATERIAL: Alu Die Casting
BODY COLOR: Black




RML-0107 VESTA

WATTAGE: 7w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K
BEAM ANGLE: 38°
MATERIAL: Alu Die Casting
BODY COLOR: Black




RML-0110 VESTA

WATTAGE: 10w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K
BEAM ANGLE: 38°
MATERIAL: Alu Die Casting
BODY COLOR: Black



RML-0207 VIX

WATTAGE: 7w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K
BEAM ANGLE: 38°
MATERIAL: Alu Die Casting
BODY COLOR: Black



RML-0308 VALOR

WATTAGE: 8w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K
BEAM ANGLE: 120°
MATERIAL: Alu Die Casting
BODY COLOR: Black



Shine Magnetic Light




RML-0316 VALOR




WATTAGE: 16w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K
BEAM ANGLE: 120°
MATERIAL: Alu Die Casting
BODY COLOR: Black

RML-0316L VALOR




WATTAGE: 16w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K
BEAM ANGLE: 120°
MATERIAL: Alu Die Casting
BODY COLOR: Black

RML-0406 VIVA



WATTAGE: 6w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K
BEAM ANGLE: 30°
MATERIAL: Alu Die Casting
BODY COLOR: Black

RML-0412 VIVA



WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K
BEAM ANGLE: 30°
MATERIAL: Alu Die Casting
BODY COLOR: Black

RML-0512 VENUS



WATTAGE: 8w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K
BEAM ANGLE: 30°
MATERIAL: Alu Die Casting
BODY COLOR: Black

Shine Indoor Fixture



RIF-26901 PIKA



RIF-27001 PIKA



RIF-24703 SHALLOW



RIF-24703 SQ SHALLOW



RIF-3403 FLATO



RIF-3403 SQ FLATO



PRODUCT CODE	WATTAGE	LED	COLOR TEMP	DIMENSION	CUT-OUT	BEAM ANGLE	LUMENS	MATERIAL	BODY COLOR
RIF-26901	1w	Nichia	3K/4K/6K	Ø16*20(H)mm	12mm	50°	138lm	Alu Die Casting	White
RIF-27001	1w	Nichia	3K/4K/6K	Ø16*25(H)mm	12mm	50°	138lm	Alu Die Casting	White
RIF-24703	3w	Cree	3K/4K/6K	Ø45*39(H)mm	38mm	30°	275lm	Alu Die Casting	White
RIF-24703 SQ	3w	Cree	3K/4K/6K	50*50*37(H)mm	38mm	30°	275lm	Alu Die Casting	White
RIF-3403	3w	Epistar	3K/4K/6K	Ø43*22(H)mm	30mm	30°	250lm	Alu Die Casting	White
RIF-3403 SQ	3w	Epistar	3K/4K/6K	45*45*22(H)mm	30mm	30°	250lm	Alu Die Casting	White

RIF-24903 PIN SPOT



RIF-24903 SQ PIN SPOT



RIF-24405 FLAT SPOT



RIF-24405 SQ FLAT SPOT



PRODUCT CODE	WATTAGE	LED	COLOR TEMP	DIMENSION	CUT-OUT	BEAM ANGLE	LUMENS	MATERIAL	BODY COLOR
RIF-24903	3w	Cree	3K/4K/6K	Ø40*35(H)mm	34mm	24°	275lm	Alu Die Casting	White
RIF-24903 SQ	3w	Cree	3K/4K/6K	40*40*35(H)mm	34mm	24°	275lm	Alu Die Casting	White
RIF-24405	5w	Cree	2.7K/3K/4K/5K/6K	Ø53*35(H)mm	43mm	24°	450lm	Alu Die Casting	White
RIF-24405 SQ	5w	Cree	2.7K/3K/4K/5K/6K	53*53*38(H)mm	43mm	24°	450lm	Alu Die Casting	White

Shine Indoor Fixture



RIF-23207 DEEP DOWN

WATTAGE: 7w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø60*65(H)mm

CUT-OUT: 53mm

BEAM ANGLE: 38°

LUMENS: 650lm

MATERIAL: Alu Die Casting

BODY COLOR: White



RIF-23209 KOBRA

WATTAGE: 9w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø82*83(H)mm

CUT-OUT: 70mm

BEAM ANGLE: 38°

LUMENS: 880lm

MATERIAL: Alu Die Casting

BODY COLOR: White



RIF-23214 KOBRA

WATTAGE: 14w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø100*107(H)mm

CUT-OUT: 84mm

BEAM ANGLE: 38°

LUMENS: 1200lm

MATERIAL: Alu Die Casting

BODY COLOR: White



RIF-23220 KOBRA

WATTAGE: 20w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø130*119(H)mm

CUT-OUT: 109mm

BEAM ANGLE: 38°

LUMENS: 1800lm

MATERIAL: Alu Die Casting

BODY COLOR: White



RIF-23230 KOBRA

WATTAGE: 30w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø160*129(H)MM

CUT-OUT: 136mm

BEAM ANGLE: 38°

LUMENS: 2800lm

MATERIAL: Alu Die Casting

BODY COLOR: White



Shine Indoor Fixture



RIF-4803 CURVY

WATTAGE: 3w

LED: Epistar

COLOR TEMP: 3K/4K/6K

DIMENSION: Ø47*33(H)mm

CUT-OUT: 30mm

BEAM ANGLE: 60°

LUMENS: 250lm

MATERIAL: Alu Die Casting

BODY COLOR: White



RIF-4803 SQ CURVY

WATTAGE: 3w

LED: Epistar

COLOR TEMP: 3K/4K/6K

DIMENSION: 47*33(H)mm

CUT-OUT: 30mm

BEAM ANGLE: 60°

LUMENS: 250lm

MATERIAL: Alu Die Casting

BODY COLOR: White



RIF-4807 CURVY

WATTAGE: 7w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø65*45(H)mm

CUT-OUT: 50mm

BEAM ANGLE: 40°

LUMENS: 650lm

MATERIAL: Alu Die Casting

BODY COLOR: White



RIF-4810 CURVY

WATTAGE: 10w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø85*57(H)mm

CUT-OUT: 60mm

BEAM ANGLE: 38°

LUMENS: 980lm

MATERIAL: Alu Die Casting

BODY COLOR: White



RIF-4820 CURVY

WATTAGE: 20w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø120*90(H)mm

CUT-OUT: 90mm

BEAM ANGLE: 40°

LUMENS: 1700lm

MATERIAL: Alu Die Casting

BODY COLOR: White

Shine Indoor Fixture



RIF-23712SQVALUE

WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 2.7K/3K/4K/5K/6K
DIMENSION: 80*80*85(H)mm
CUT-OUT: 55*55mm
BEAM ANGLE: 40°
LUMENS: 1020lm
MATERIAL: Alu Die Casting
BODY COLOR: White



RIF-23707 VALUE

WATTAGE: 7w
LED: Cree/Bridgelux
COLOR TEMP: 2.7K/3K/4K/5K/6K
DIMENSION: Ø65*55(H)mm
CUTOUT: 52mm
BEAM ANGLE: 24°
LUMENS: 650lm
MATERIAL: Alu Die Casting
BODY COLOR: White



RIF-23712 VALUE

WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 2.7K/3K/4K/5K/6K
DIMENSION: Ø85*75(H)mm
CUT-OUT: 76mm
BEAM ANGLE: 38°
LUMENS: 1020lm
MATERIAL: Alu Die Casting
BODY COLOR: White



RIF-23720 VALUE

WATTAGE: 20w
LED: Cree/Bridgelux
COLOR TEMP: 2.7K/3K/4K/5K/6K
DIMENSION: Ø95*90(H)mm
CUT-OUT: 80mm
BEAM ANGLE: 38°
LUMENS: 1700lm
MATERIAL: Alu Die Casting
BODY COLOR: White

Shine Indoor Fixture



RIF-21806 DELTA

WATTAGE: 6w
LED: Cree/Bridgelux
COLOR TEMP: 2.7K/3K/4K/5K/6K
DIMENSION: Ø72*56(H)mm
CUT-OUT: 61mm
BEAM ANGLE: 38°
LUMENS: 650lm
MATERIAL: Alu Die Casting
BODY COLOR: White/Black



RIF-21812 DELTA

WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 2.7K/3K/4K/5K/6K
DIMENSION: Ø85*78(H)mm
CUT-OUT: 75mm
BEAM ANGLE: 38°
LUMENS: 960lm
MATERIAL: Alu Die Casting
BODY COLOR: White/Black



RIF-23906 GROOVE SPOT

WATTAGE: 6w
LED: Cree/Bridgelux
COLOR TEMP: 2.7K/3K/4K/5K/6K
DIMENSION: Ø80*54(H)mm
CUT-OUT: 67mm
BEAM ANGLE: 24°
LUMENS: 550lm
MATERIAL: Alu Die Casting
BODY COLOR: White



RIF-23912 GROOVE SPOT

WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 2.7K/3K/4K/5K/6K
DIMENSION: Ø108*71(H)mm
CUT-OUT: 95mm
BEAM ANGLE: 40°
LUMENS: 1020lm
MATERIAL: Alu Die Casting
BODY COLOR: White



RIF-23920 GROOVE SPOT

WATTAGE: 20w
LED: Cree/Bridgelux
COLOR TEMP: 2.7K/3K/4K/5K/6K
DIMENSION: Ø145*78(H)mm
CUT-OUT: 129mm
BEAM ANGLE: 60°
LUMENS: 1595lm
MATERIAL: Alu Die Casting
BODY COLOR: White

Shine Indoor Fixture



RIF-5403A AVANT GARDE

WATTAGE: 3w

LED: Epistar

COLOR TEMP: 3K/4K/6K

DIMENSION: Ø45*58(H)mm

CUT-OUT: 37mm

BEAM ANGLE: 24°

LUMENS: 250lm

MATERIAL: Alu Die Casting

BODY COLOR: White/Black



RIF-5405 AVANT GARDE

WATTAGE: 5w

LED: Cree

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø45*60(H)mm

CUT-OUT: 35mm

BEAM ANGLE: 24°

LUMENS: 450lm

MATERIAL: Alu Die Casting

BODY COLOR: White/Black/Copper



RIF-5410 AVANT GARDE

WATTAGE: 10w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø60*87(H)mm

CUT-OUT: 52mm

BEAM ANGLE: 38°

LUMENS: 980lm

MATERIAL: Alu Die Casting

BODY COLOR: White/Black/Copper



RIF-5412 AVANT GARDE

WATTAGE: 12w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø60*87(H)mm

CUT-OUT: 52mm

BEAM ANGLE: 38°

LUMENS: 1020lm

MATERIAL: Alu Die Casting

BODY COLOR: White/Black/Copper



RIF-5418 AVANT GARDE

WATTAGE: 18w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø75*100(H)mm

CUT-OUT: 65mm

BEAM ANGLE: 38°

LUMENS: 1450lm

MATERIAL: Alu Die Casting

BODY COLOR: White/Black/Copper

Shine Indoor Fixture



RIF-26103 MAGIC



RIF-26109 MAGIC



RIF-26112 MAGIC



RIF-26115 MAGIC



RIF-26127 MAGIC



RIF-26130 MAGIC



PRODUCT CODE	WATTAGE	LED	COLOR TEMP	DIMENSION	CUT-OUT	BEAM ANGLE	LUMENS	MATERIAL	BODY COLOR
RIF-26103	3w	Cree	3K/4K/5K/6K	51*51*56(H)mm	43*43mm	38°	300lm	Alu Die Casting	White
RIF-26109	9w	Cree	3K/4K/5K/6K	127*51*56(H)mm	120*43MM	38°	880lm	Alu Die Casting	White
RIF-26112	12w	Cree	3K/4K/5K/6K	90*90*56(H)mm	82*82MM	38°	1150lm	Alu Die Casting	White
RIF-26115	15w	Cree	3K/4K/5K/6K	203*51*56(H)mm	196*43MM	38°	1480lm	Alu Die Casting	White
RIF-26127	27w	Cree	3K/4K/5K/6K	128*128*56(H)mm	120*120mm	38°	2500lm	Alu Die Casting	White
RIF-26130	30w	Cree	3K/4K/5K/6K	393*51*56(H)MM	386*43mm	38°	2880lm	Alu Die Casting	White

Shine Indoor Fixture



RIF-25502 LAZER BLADE



WATTAGE: 2w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: 45*45*48(H)mm
CUT-OUT: 39*39mm
BEAM ANGLE: 24°
LUMENS: 180lm
MATERIAL: Alu Die Casting
BODY COLOR: White

RIF-25520 LAZER BLADE



WATTAGE: 20w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: 280*43*65(H)mm
CUT-OUT: 270*30mm
BEAM ANGLE: 45°
LUMENS: 1600lm
MATERIAL: Alu Die Casting
BODY COLOR: White

RIF-25504 LAZER BLADE



WATTAGE: 4w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: 75*45*55(H)mm
CUT-OUT: 65*35mm
BEAM ANGLE: 24°
LUMENS: 380lm
MATERIAL: Alu Die Casting
BODY COLOR: White

RIF-25530 LAZER BLADE



WATTAGE: 30w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: 412*45*65(H)mm
CUT-OUT: 404*30mm
BEAM ANGLE: 30°
LUMENS: 2250lm
MATERIAL: Alu Die Casting
BODY COLOR: White

RIF-25510 LAZER BLADE



WATTAGE: 10w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: 148*45*45(H)mm
CUT-OUT: 136*32mm
BEAM ANGLE: 30°
LUMENS: 950lm
MATERIAL: Alu Die Casting
BODY COLOR: White

RIF-25510 LAZER BLADE WALLWASHER



WATTAGE: 10w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: 148*45*45(H)mm
CUT-OUT: 136*32mm
BEAM ANGLE: 30°
LUMENS: 750lm
MATERIAL: Alu Die Casting
BODY COLOR: White

Shine Indoor Fixture



RIF-22210 BAMBOO

WATTAGE: 10w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø84*87(H)mm

CUT-OUT: 75mm

BEAM ANGLE: 24°

LUMENS: 980lm

MATERIAL: Alu Die Casting

BODY COLOR: White



RIF-22214 BAMBOO

WATTAGE: 14w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø100*117(H)mm

CUT-OUT: 92mm

BEAM ANGLE: 24°

LUMENS: 1200lm

MATERIAL: Alu Die Casting

BODY COLOR: White



RIF-22228 TWIN BAMBOO

WATTAGE: 2*14w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø185*100*96(H)mm

CUT-OUT: 169*89mm

BEAM ANGLE: 24°

LUMENS: 2400lm

MATERIAL: Alu Die Casting

BODY COLOR: White

Shine Indoor Fixture

RIF-24110 INNER RING



WATTAGE: 10w
LED: Cree/Bridgelux
COLOR TEMP: 2.7K/3K/4K/5K/6K
DIMENSION: Ø55*20(H)mm
CUT-OUT: 44mm
BEAM ANGLE: 38°
LUMENS: 980lm
MATERIAL: Alu Die Casting
BODY COLOR: White/Black



RIF-25825 STREAK



WATTAGE: 25w
LED: Cree
COLOR TEMP: 2.7K/3K/4K/5K/6K
DIMENSION: Ø137*115(H)mm
CUT-OUT: 124mm
BEAM ANGLE: 40°
LUMENS: 2100lm
MATERIAL: Alu Die Casting
BODY COLOR: White

RIF-25835 STREAK



WATTAGE: 35w
LED: Cree
COLOR TEMP: 2.7K/3K/4K/5K/6K
DIMENSION: Ø163*136(H)MM
CUT-OUT: 149mm
BEAM ANGLE: 40°
LUMENS: 3000lm
MATERIAL: Alu Die Casting
BODY COLOR: White

RIF-22012 OREO BEND

WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 2.7K/3K/4K/5K/6K
DIMENSION: Ø85*71(H)MM
CUT-OUT: 78mm
BEAM ANGLE: 38°
LUMENS: 1020lm
MATERIAL: Alu Die Casting
BODY COLOR: White



RIF-21912 OREO BEND

WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 2.7K/3K/4K/5K/6K
DIMENSION: Ø85*95(H)mm
BEAM ANGLE: 38°
LUMENS: 1020lm
MATERIAL: Alu Die Casting
BODY COLOR: White



Shine Indoor Fixture

RIF-26706 SPOT CIRCLE




WATTAGE: 6w
LED: Cree
COLOR TEMP: 2.7K/3K/4K/5K/6K
DIMENSION: Ø50*48(H)mm
CUT-OUT: 38mm
BEAM ANGLE: 20°
LUMENS: 450lm
MATERIAL: Alu Die Casting
BODY COLOR: White



RIF-19503 BULLET

WATTAGE: 3w
LED: Epistar
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø25*60(H)mm
BEAM ANGLE: 38°
LUMENS: 250lm
MATERIAL: Alu Die Casting
BODY COLOR: Wh/Bk/Silver/Copper



RIF-21303 GOTU

WATTAGE: 3w
LED: Epistar
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø65*62(H)mm
BEAM ANGLE: 24°
LUMENS: 250lm
MATERIAL: Alu Die Casting
BODY COLOR: White



RIF-21305 GOTU

WATTAGE: 5w
LED: Epistar
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø80*70(H)mm
BEAM ANGLE: 38°
LUMENS: 450lm
MATERIAL: Alu Die Casting
BODY COLOR: White



RIF-20203 PENCIL

WATTAGE: 3w
LED: Epistar
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø35*82(H)mm
BEAM ANGLE: 24°
LUMENS: 250lm
MATERIAL: Alu Die Casting
BODY COLOR: White



RIF-20205 PENCIL

WATTAGE: 5w
LED: Epistar
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø35*82(H)mm
BEAM ANGLE: 24°
LUMENS: 450lm
MATERIAL: Alu Die Casting
BODY COLOR: White



Shine Indoor Fixture

RIF-24210 CROSS

WATTAGE:10w

LED:Cree/Bridgelux

COLOR TEMP:2.7K/3K/4K/5K/6K

DIMENSION: Ø50*162(H)mm

BEAM ANGLE:36°

LUMENS: 950lm

MATERIAL: Alu Die Casting

BODY COLOR:White/Black



RIF-24220 CROSS

WATTAGE: 20w

LED:Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K


DIMENSION: Ø91*284(H)mm

BEAM ANGLE:44°

LUMENS: 2100lm

MATERIAL: Alu Die Casting

BODY COLOR:White/Black



RIF-23005 DELTA

WATTAGE:5W

LED: Cree

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø55*73(H)mm

BEAM ANGLE:30°

LUMENS: 450lm

MATERIAL: Alu Die Casting

BODY COLOR: White/Black

RIF-23012 DELTA

WATTAGE:12w

LED:Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø74*100(H)mm

BEAM ANGLE:38°

LUMENS: 1020lm

MATERIAL: Alu Die Casting

BODY COLOR: White/Black

RIF-23020 DELTA

WATTAGE:20w

LED: Cree/Bridgelux

COLOR TEMP:2.7K/3K/4K/5K/6K

DIMENSION: Ø94*114(H)mm

BEAM ANGLE:45°

LUMENS: 1850lm

MATERIAL: Alu Die Casting

BODY COLOR:White/Black



RIF-23005 SQ DELTA

WATTAGE: 5W

LED:Cree

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: 55*55*73(H)mm

BEAM ANGLE:30°

LUMENS: 450lm

MATERIAL: Alu Die Casting

BODY COLOR: White/Black

RIF-23012 SQ DELTA

WATTAGE:12w

LED:Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: 74*74*94(H)mm

BEAM ANGLE:38°

LUMENS: 1020lm

MATERIAL: Alu Die Casting

BODY COLOR:White/Black

RIF-23020SQ DELTA

WATTAGE: 20w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION:95*95*119(H)mm

BEAM ANGLE: 45°

LUMENS: 1850lm

MATERIAL: Alu Die Casting

BODY COLOR: White/Black



Shine Downlighter



ROP-0709 ORION

WATTAGE: 9w
LED: Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 120*49(H)mm
CUT-OUT: 111mm
BEAM ANGLE: 110°
LUMENS: 900lm
MATERIAL: Alu Die Casting
BODY COLOR: White

ROP-0715 ORION

WATTAGE: 15w
LED: Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 154*54(H)mm
CUT-OUT: 145mm
BEAM ANGLE: 110°
LUMENS: 1500lm
MATERIAL: Alu Die Casting
BODY COLOR: White

ROP-0724 ORION

WATTAGE: 24w
LED: Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 174*54(H)mm
CUT-OUT: 162mm
BEAM ANGLE: 110°
LUMENS: 2400lm
MATERIAL: Alu Die Casting
BODY COLOR: White



ROP-0918 SQ SLIM BACKLITE ROP-0924 SQ SLIM BACKLITE



PRODUCT CODE	PRODUCT NAME	WATTAGE	LED	COLOR TEMP	DIMENSION	CUT-OUT	BEAM ANGLE	LUMENS	MATERIAL
ROP-0912	SLIM BACKLITE	12w	BRIDGELUX	3K/4K/6K	145*35(H)mm	125mm	120°	1200lm	Alu Die Casting
ROP-0918	SLIM BACKLITE	18w	BRIDGELUX	3K/4K/6K	170*35(H)mm	150mm	120°	1800lm	Alu Die Casting
ROP-0924	SLIM BACKLITE	24w	BRIDGELUX	3K/4K/6K	195*35(H)mm	175mm	120°	2400lm	Alu Die Casting
ROP-0912 SQ	SLIM BACKLITE	12w	BRIDGELUX	3K/4K/6K	145*145*35(H)mm	125mm	120°	1200lm	Alu Die Casting
ROP-0918 SQ	SLIM BACKLITE	18w	BRIDGELUX	3K/4K/6K	170*170*35(H)mm	150mm	120°	1800lm	Alu Die Casting
ROP-0924 SQ	SLIM BACKLITE	24w	BRIDGELUX	3K/4K/6K	195*195*35(H)mm	175mm	120°	2400lm	Alu Die Casting

Shine Indoor Wall Light

RIWL-1006 R GLORY

WATTAGE: 6w

LED:Cree

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø100*110*60(H)mm

BEAM ANGLE:180°

LUMENS: 600lm

MATERIAL: Alu Die Casting

BODY COLOR: White



RIWL-1006 S GLORY

WATTAGE: 6w

LED:Cree

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: 100*100*60(H)mm

BEAM ANGLE: 141°

LUMENS:600lm

MATERIAL: Alu Die Casting

BODY COLOR:White



RIWL-1012 LONGO

WATTAGE: 12w

LED: Bridgelux

COLOR TEMP: 3K/4K/6K


DIMENSION: 315*90*30(H)mm

BEAM ANGLE:135°

LUMENS: 1080lm

MATERIAL: Alu Die Casting

BODY COLOR:White



PRODUCT CODE	PRODUCT NAME	WATTAGE	LED	COLOR TEMP	DIMENSION	BEAM ANGLE	LUMENS	BODY COLOR
RIWL-1309	DISC BACKLITE	9w	Bridgelux	3K/4K/6K	Ø200*20(H)mm	360°	880lm	Golden
RIWL-1312	DISC BACKLITE	12w	Bridgelux	3K/4K/6K	Ø250*25(H)mm	360°	1080lm	Golden
RIWL-1315	DISC BACKLITE	15w	Bridgelux	3K/4K/6K	Ø300*25(H)mm	360°	1280lm	Golden

Shine Outdoor Wall Light



RIHL-0106 DYNAMO

WATTAGE: 6w

LED: Cree/Bridgelux

COLOR TEMP: 3K/4K/6K

DIMENSION: 120mm

HEIGHT: 1mtr Wire Cable

BEAM ANGLE: 24°

LUMENS: 305lm

MATERIAL: Alu Die Casting

BODY COLOR: Black



Shine Outdoor Wall Light



Shine Outdoor Wall Light

ROWL-8205 LENS CO

WATTAGE: 5w

LED: Cree/Bridgelux

COLOR TEMP: 3K/4K/6K

DIMENSION: Ø65*95*100(H)mm

BEAM ANGLE: 40°

LUMENS: 450lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



ROWL-8210 LENS CO

WATTAGE: 2*5w

LED: Cree/Bridgelux

COLOR TEMP: 3K/4K/6K

DIMENSION: Ø65*115*110(H)mm

BEAM ANGLE: 40°

LUMENS: 850lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



ROWL-7212 JUPITER

WATTAGE: 12w

LED: Cree/Bridgelux

COLOR TEMP: 3K/4K/6K

DIMENSION: Ø95*110*105(H)mm

BEAM ANGLE: 38°

LUMENS: 1150lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



ROWL-7224 JUPITER

WATTAGE: 2*12w

LED: Cree/Bridgelux

COLOR TEMP: 3K/4K/6K


DIMENSION: Ø95*210*110(H)mm

BEAM ANGLE: 38°

LUMENS: 2400lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



Shine Outdoor Wall Light

ROWL-6503 ROMEO

WATTAGE: 3w

LED: Cree/Bridgelux

COLOR TEMP: 3K/4K/6K

DIMENSION: 68*85*40*(H)mm

BEAM ANGLE: 71°

LUMENS: 350lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



ROWL-6506 ROMEO

WATTAGE: 2*3W

LED: Cree/Bridgelux

COLOR TEMP: 3K/4K/6K

DIMENSION: 68*85*40*(H)mm

BEAM ANGLE: 71°

LUMENS: 550lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



ROWL-0503 K SHAPE

WATTAGE: 3w

LED: Bridgelux

COLOR TEMP: 3000K

DIMENSION: 80*75*65*(H)mm

BEAM ANGLE: 86°

LUMENS: 210lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



ROWL-0506 K SHAPE

WATTAGE: 2*3w

LED: Bridgelux

COLOR TEMP: 3000K

DIMENSION: 80*142*65*(H)mm

BEAM ANGLE: 86°

LUMENS: 420lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



Shine Outdoor Wall Light

ROWL-0805 RECTANGLE

WATTAGE: 5w

LED: Cree/Bridgelux

COLOR TEMP: 3K/4K/6K

DIMENSION: 68*80*80(H)mm

BEAM ANGLE: 60°

LUMENS: 450lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



ROWL-0810 RECTANGLE

WATTAGE: 2*5w

LED: Cree/Bridgelux

COLOR TEMP: 3K/4K/6K

DIMENSION: 68*150*80(H)mm

BEAM ANGLE: 60°

LUMENS: 900lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



ROWL-1205 ROUND0

WATTAGE: 5w

LED: Cree/Bridgelux

COLOR TEMP: 3K/4K/6K

DIMENSION: 68*80*80(H)mm

BEAM ANGLE: 60°

LUMENS: 450lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



ROWL-1210 ROUND0

WATTAGE: 2*5w

LED: Cree/Bridgelux

COLOR TEMP: 3K/4K/6K

DIMENSION: 68*150*80(H)mm

BEAM ANGLE: 60°

LUMENS: 900lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



Shine Outdoor Wall Light

ROWL-3803 SLEEKO

WATTAGE: 3w

LED: Cree/Bridgelux

COLOR TEMP: 3K/4K/6K

DIMENSION: 40*90*60(H)mm

BEAM ANGLE: 10°

LUMENS: 150lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



ROWL-3806 SLEEKO

WATTAGE: 2*3w

LED: Cree/Bridgelux

COLOR TEMP: 3K/4K/6K

DIMENSION: 45*120*63(H)mm

BEAM ANGLE: 10°

LUMENS: 420lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



ROWL-6406 FLATTER

WATTAGE: 2*3w

LED: Cree/Bridgelux

COLOR TEMP: 3K/4K/6K


DIMENSION: 65*50*60(H)mm

BEAM ANGLE: 60°

LUMENS: 120lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



ROWL-6412 FLATTER

WATTAGE: 4*3w

LED: Cree/Bridgelux

COLOR TEMP: 3K/4K/6K

DIMENSION: 77*77*57(H)mm

BEAM ANGLE: 60°

LUMENS: 220lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



Shine Outdoor Wall Light



ROWL4003 TRICK

WATTAGE: 3w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø92*130(H)mm
BEAM ANGLE: 20°
LUMENS: 150lm
MATERIAL: Alu Die Casting
BODY COLOR: White



ROWL4009 TRICK

WATTAGE: 9w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø118*165(H)MM
BEAM ANGLE: 20°
LUMENS: 650lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROWL-4009A TRICK

WATTAGE: 9w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø110*127(H)mm
BEAM ANGLE: 20°
LUMENS: 700lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



Shine Outdoor Wall Light

ROWL-5012 JOYSTICK

WATTAGE: 2w
LED: Cree/Bridgelux
COLOR TEMP: 3000K
DIMENSION: 145*100*42(H)mm
BEAM ANGLE: 60°
LUMENS: 850lm
MATERIAL: Alu Die Casting
BODY COLOR: White



ROWL-6712 WAVE

WATTAGE: 2*6W
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø100*200*83(H)mm
BEAM ANGLE: 45°
LUMENS: 850lm
MATERIAL: Alu Die Casting
BODY COLOR: Black



ROWL-6308 RANGOLI

WATTAGE: 8w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø85*55(H)mm
BEAM ANGLE: 360°
LUMENS: 550lm
MATERIAL: Alu Die Casting
BODY COLOR: White



ROWL-3009 TRIOS

WATTAGE: 3*3w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø165*45(H)mm
BEAM ANGLE: 45°
LUMENS: 650lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey/White



Shine Outdoor Wall Light

ROWL-5306 TRIPOD

WATTAGE: 2*3w

LED: Cree

COLOR TEMP: 3K/4K/6K

DIMENSION: 108*180*65(H)mm

BEAM ANGLE: 15/60°

LUMENS: 420lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



ROWL-1806 CUBIC

WATTAGE: 2*3w

LED: Cree

COLOR TEMP: 3K/4K/6K


DIMENSION: 100*100*100(H)mm

BEAM ANGLE: 92°

LUMENS: 480lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey/White



ROWL-4505 BOX-T

WATTAGE: 5w

LED: Cree/Bridgelux

COLOR TEMP: 3K/4K/6K

DIMENSION: 100*100*105(H)mm

BEAM ANGLE: 92°

LUMENS: 450lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



ROWL-6812 MIKU

WATTAGE: 4*3w

LED: Cree/Bridgelux

COLOR TEMP: 3K/4K/6K


DIMENSION: 188*65(H)mm

BEAM ANGLE: 45°

LUMENS: 840lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



Shine Outdoor Wall Light

ROWL-6906 BIG BALL

WATTAGE: 2*3w

LED:Cree/Bridgelux

COLOR TEMP: 3K/4K/6K

DIMENSION: Ø95*85(H)mm

BEAM ANGLE: 85°

LUMENS: 480lm

MATERIAL: Alu Die Casting

BODY COLOR:Graphite Grey



ROWL-7008 BIG BALL

WATTAGE: 4*2w

LED:Cree/Bridgelux

COLOR TEMP:3K/4K/6K

DIMENSION: Ø100*98(H)mm

BEAM ANGLE:85°

LUMENS: 960lm

MATERIAL: Alu Die Casting

BODY COLOR:Graphite Grey



ROWL-7110 FIVE STAR

WATTAGE: 5*2w

LED: Cree/Bridgelux

COLOR TEMP: 3K/4K/6K

DIMENSION: Ø100*80(H)mm

BEAM ANGLE:30°

LUMENS: 880lm

MATERIAL: Alu Die Casting

BODY COLOR:Graphite Grey



ROWL-8506 FLORAL

WATTAGE: 6*1w

LED:Cree/Bridgelux

COLOR TEMP:3K/4K/6K


DIMENSION: Ø120*45(H)mm

BEAM ANGLE: 30°

LUMENS: 450lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



Shine Outdoor Wall Light

ROWL-8004 ARCH

WATTAGE: 4w

LED: Cree/Bridgelux

COLOR TEMP: 3K/4K/6K


DIMENSION: Ø116*61(H)mm

BEAM ANGLE: 30°

LUMENS: 350lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



ROWL-8006 ARCH

WATTAGE: 6w

LED: Cree/Bridgelux

COLOR TEMP: 3K/4K/6K


DIMENSION: Ø116*61(H)mm

BEAM ANGLE: 30°

LUMENS: 550lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



ROWL-7509 CRISP

WATTAGE: 9w

LED: Bridgelux

COLOR TEMP: 3000K

DIMENSION: 240*120*45(H)mm

BEAM ANGLE: 135°

LUMENS: 700lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



ROWL-7609 ICON

WATTAGE: 9w

LED: Bridgelux

COLOR TEMP: 3000K

DIMENSION: 230*72*60(H)mm

BEAM ANGLE: 80°

LUMENS: 750lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



Shine Outdoor Wall Light

ROWL-7715 SHELTER

WATTAGE:15w

LED: Bridgelux

COLOR TEMP:3000K

DIMENSION: 130*85*175(H)mm

BEAM ANGLE: 80°

LUMENS: 1200lm

MATERIAL: Alu Die Casting

BODY COLOR:Graphite Grey



ROWL-7406 URBAN

WATTAGE: 6w

LED:Bridgelux

COLOR TEMP:3K/4K/6K

DIMENSION: 160*87*105(H)mm

BEAM ANGLE:60°

LUMENS: 480lm

MATERIAL: Alu Die Casting

BODY COLOR:Graphite Grey



ROWL-5406 BOX-T

WATTAGE: 6w

LED:Bridgelux

COLOR TEMP: 3K/4K/6K

DIMENSION: 215*125*55(H)mm

BEAM ANGLE:60°

LUMENS: 480lm

MATERIAL: Alu Die Casting

BODY COLOR:Graphite Grey



ROWL-5816 FLUSH

WATTAGE: 6w

LED: Bridgelux

COLOR TEMP: 3K/4K/6K

DIMENSION: 175*90*32(H)mm

BEAM ANGLE: 120°


LUMENS: 1200lm

MATERIAL: Alu Die Casting

BODY COLOR:Graphite Grey



Shine Outdoor Wall Light



Shine Outdoor Garden Light



ROGL-1303 PILLAR HIGHLIGHTER

WATTAGE: 3w
LED: Cree/Bridgelux
COLOR TEMP: 2.7K/3K/4K/5K/6K
DIMENSION: Ø42*81*81(H)mm
BEAM ANGLE: 10°
LUMENS: 500lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROGL-1308 PILLAR HIGHLIGHTER

WATTAGE: 8w
LED: Cree/Bridgelux
COLOR TEMP: 2.7K/3K/4K/5K/6K
DIMENSION: Ø71*120*134(H)mm
BEAM ANGLE: 10°
LUMENS: 1300lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



Shine Outdoor Garden Light



PYRAMID

ROGL-2003 BASE

WATTAGE: 3w
LED: Epistar
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø45*66(H)mm
BEAM ANGLE: 38°
LUMENS: 250lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROGL-2003

WATTAGE: 3w
LED: Epistar
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø45*66(H)mm
BEAM ANGLE: 38°
LUMENS: 250lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROGL-2007 BASE

WATTAGE: 7w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø66*100(H)mm
BEAM ANGLE: 38°
LUMENS: 520lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROGL-2007

WATTAGE: 7w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø66*100(H)mm
BEAM ANGLE: 38°
LUMENS: 520lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROGL-2012 BASE

WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø66*100(H)mm
BEAM ANGLE: 38°
LUMENS: 1050lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROGL-2012

WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø66*100(H)mm
BEAM ANGLE: 38°
LUMENS: 1050lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



Shine Outdoor Garden Light



ROGL-1607 ARABIC

WATTAGE: 7w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø50*116(H)mm
BEAM ANGLE: 36°
LUMENS: 650lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROGL-1615 ARABIC

WATTAGE: 15w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø66*142(H)mm
BEAM ANGLE: 36°
LUMENS: 1350lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROGL-1620 ARABIC

WATTAGE: 20w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø83*160(H)mm
BEAM ANGLE: 36°
LUMENS: 1820lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROGL-0706 ASTRA

WATTAGE: 6w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø63*97(H)mm
BEAM ANGLE: 36°
LUMENS: 480lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROGL-0906 ASTRA

WATTAGE: 6w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø85*115(H)mm
BEAM ANGLE: 36°
LUMENS: 480lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROGL-0712 ASTRA

WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø85*110(H)mm
BEAM ANGLE: 36°
LUMENS: 1020lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROGL-0912 ASTRA

WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø85*115(H)mm
BEAM ANGLE: 36°
LUMENS: 1020lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



Shine Outdoor Ceiling Surface & Conceal



Shine Outdoor Ceiling Surface & Conceal

ROCS-0406 KITH

WATTAGE: 6w
LED: Cree/Bridgelux
COLOR TEMP: 2.7K/3K/4K/5K/6K
DIMENSION: Ø63*90(H)mm
BEAM ANGLE: 38°
LUMENS: 600lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROCS-0614 KASPER

WATTAGE: 14w
LED: Cree/Bridgelux
COLOR TEMP: 2.7K/3K/4K/6K
DIMENSION: Ø90*136(H)mm
BEAM ANGLE: 38°
LUMENS: 1280lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROCS-0803 KLARO

WATTAGE: 3w
LED: DOB
COLOR TEMP: 3000K
DIMENSION: Ø58*15(H)mm
BEAM ANGLE: 60°
LUMENS: 280lm
MATERIAL: Alu Die Casting
BODY COLOR: White/Black



ROCS-0621 KASPER

WATTAGE: 21w
LED: Cree/Bridgelux
COLOR TEMP: 2.7K/3K/4K/5K/6K
DIMENSION: Ø143*143(H)mm
BEAM ANGLE: 38°
LUMENS: 1980lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROCS-0703 BULLET

WATTAGE: 3w
LED: Epistar
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø25*60(H)mm
BEAM ANGLE: 36°
LUMENS: 270lm
MATERIAL: Alu Die Casting
BODY COLOR: White/Black



ROCS-0630 KASPER

WATTAGE: 30w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø143*143(H)mm
BEAM ANGLE: 38°
LUMENS: 2500lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROCS-0514 KASPER

WATTAGE: 14w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 90*90*140(H)mm
BEAM ANGLE: 38°
LUMENS: 1280lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROCS-0310 SPEAKER

WATTAGE: 10w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø90*130(H)mm
BEAM ANGLE: 24°/36°/60°
LUMENS: 900lm
MATERIAL: Alu Die Casting
BODY COLOR: Black



Shine Outdoor Ceiling Surface & Conceal



ROCS-0916 KLASSIC

WATTAGE: 16w
LED: Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø140*140*46(H)mm
BEAM ANGLE: 180°
LUMENS: 1500lm
MATERIAL: Alu Die Casting
BODY COLOR: White/Black



ROCC-0103 KINGLY

WATTAGE: 3w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø43*33(H)mm
BEAM ANGLE: 24°
LUMENS: 280lm
MATERIAL: Alu Die Casting
BODY COLOR: White



ROCC-0106 KINGLY

WATTAGE: 6w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø70*35(H)mm
BEAM ANGLE: 24°
LUMENS: 600lm
MATERIAL: Alu Die Casting
BODY COLOR: White



ROCS-0908 KLASSIC

WATTAGE: 8w
LED: Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø90*90*46(H)mm
BEAM ANGLE: 180°
LUMENS: 750lm
MATERIAL: Alu Die Casting
BODY COLOR: White/Black



ROCS-108 KLASSIC

WATTAGE: 8w
LED: Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø90*90*46(H)mm
BEAM ANGLE: 180°
LUMENS: 750lm
MATERIAL: Alu Die Casting
BODY COLOR: White/Black

ROCS-116 KLASSIC

WATTAGE: 16w
LED: Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø140*140*46(H)mm
BEAM ANGLE: 180°
LUMENS: 1500lm
MATERIAL: Alu Die Casting
BODY COLOR: White/Black




ROCC-0110 KINGLY

WATTAGE: 10w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø84*69(H)mm
BEAM ANGLE: 38°
LUMENS: 1000lm
MATERIAL: Alu Die Casting
BODY COLOR: White



Shine Outdoor Cieling/Surface



Shine Outdoor Cieling/Surface

ROFC-5202 EYE

WATTAGE: 2*1w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 114*114*60(H)mm
CUT-OUT: 110*110mm
BEAM ANGLE: 30°
LUMENS: 160lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROFC-5204 EYE

WATTAGE: 4*1w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 170*114*60(H)mm
CUT-OUT: 165*110mm
BEAM ANGLE: 30°
LUMENS: 320lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROFC-5206 EYE

WATTAGE: 6*1w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 226*114*60(H)mm
CUT-OUT: 221*110mm
BEAM ANGLE: 30°
LUMENS: 480lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROFC-4003 AMBIENT

WATTAGE: 3w
LED: Cree/bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 90*90*50(H)mm
CUT-OUT: 77*86mm
BEAM ANGLE: 56°
LUMENS: 150lm
MATERIAL: Alu Die Casting
BODY COLOR: White



Shine Outdoor Cieling/Surface



ROFC-1703 MINI

WATTAGE: 3w
LED: Epistar
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø45*60(H)mm
CUT-OUT: 45mm
BEAM ANGLE: 33°
LUMENS: 70lm
MATERIAL: Alu Die Casting
BODY COLOR: White



ROFC-1803 MINI

WATTAGE: 3w
LED: Epistar
COLOR TEMP: 3K/4K/6K
DIMENSION: 45*45*60(H)mm
CUT-OUT: 45mm
BEAM ANGLE: 33°
LUMENS: 70lm
MATERIAL: Alu Die Casting
BODY COLOR: White



ROFC-4103 LISSOM

WATTAGE: 3w
LED: Cree/Epistar
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø70*76(H)mm
CUT-OUT: 60mm
BEAM ANGLE: 78°
LUMENS: 120lm
MATERIAL: Alu Die Casting
BODY COLOR: SS Finish



ROFC-4203 LISSOM

WATTAGE: 3w
LED: Cree/Epistar
COLOR TEMP: 3K/4K/6K
DIMENSION: 70*70*76(H)mm
CUT-OUT: 60mm
BEAM ANGLE: 78°
LUMENS: 120lm
MATERIAL: Alu Die Casting
BODY COLOR: SS Finish



ROFC-4303 NARROW

WATTAGE: 3w
LED: Cree/Epistar
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø70*76(H)mm
CUT-OUT: 60mm
BEAM ANGLE: 20°
LUMENS: 98lm
MATERIAL: Alu Die Casting
BODY COLOR: SS Finish



ROFC-4403 NARROW

WATTAGE: 3w
LED: Cree/Epistar
COLOR TEMP: 3K/4K/6K
DIMENSION: 70*70*76(H)mm
CUT-OUT: 60mm
BEAM ANGLE: 20°
LUMENS: 98lm
MATERIAL: Alu Die Casting
BODY COLOR: SS Finish



Shine Outdoor Cieling/Surface



ROFC-5503 CREASE

WATTAGE: 3w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 100*57*50(H)mm
CUT-OUT: 98*50mm
BEAM ANGLE: 10°
LUMENS: 240lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROFC-5506 CREASE

WATTAGE: 6w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 210*58*50(H)mm
CUT-OUT: 200*55mm
BEAM ANGLE: 10°
LUMENS: 550lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey




ROFC-5605 SPARK

WATTAGE: 5w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø90*70(H)mm
CUT-OUT: 78mm
BEAM ANGLE: 45°
LUMENS: 450lm
MATERIAL: Alu Die Casting
BODY COLOR: SS Finish



ROFC-5705 SPARK

WATTAGE: 5w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 90*90*70(H)mm
CUT-OUT: 78mm
BEAM ANGLE: 45°
LUMENS: 450lm
MATERIAL: Alu Die Casting
BODY COLOR: SS Finish



ROFC-5805 STELLA

WATTAGE: 5w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø90*70(H)mm
CUT-OUT: 78*78mm
BEAM ANGLE: 20°
LUMENS: 450lm
MATERIAL: Alu Die Casting
BODY COLOR: SS Finish



ROFC-5905 STELLA

WATTAGE: 5w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 90*90*70(H)mm
CUT-OUT: 78*78mm
BEAM ANGLE: 20°
LUMENS: 450lm
MATERIAL: Alu Die Casting
BODY COLOR: SS Finish



Shine Outdoor Cieling/Surface



ROFC-1305 EPIC

WATTAGE: 5w
LED: Epistar
COLOR TEMP: 3K/4K/6K
DIMENSION: 160*95*70(H)mm
CUT-OUT: 130*80mm
BEAM ANGLE: 120°
LUMENS: 350lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROFC-2205 EPIC

WATTAGE: 5w
LED: Epistar
COLOR TEMP: 3K/4K/6K
DIMENSION: 145*70*40(H)mm
CUT-OUT: 110*55mm
BEAM ANGLE: 120°
LUMENS: 350lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROFC-2703 NIKO



WATTAGE: 3w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: 125*125*40(H)mm
CUT-OUT: 110*110mm
BEAM ANGLE: 30°
LUMENS: 150lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey

ROFC-2803 NIKO



WATTAGE: 3w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø125*40(H)mm
CUT-OUT: 110mm
BEAM ANGLE: 30°
LUMENS: 150lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROFC-4503 LEAK

WATTAGE: 3w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø44*75(H)mm
CUT-OUT: 40mm
BEAM ANGLE: 30°
LUMENS: 80lm
MATERIAL: Alu Die Casting
BODY COLOR: White



ROFC-4603 LEAK

WATTAGE: 3w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø59*70(H)mm
CUT-OUT: 53mm
BEAM ANGLE: 30°
LUMENS: 80lm
MATERIAL: Alu Die Casting
BODY COLOR: White



ROFC-4703 INDIRECT

WATTAGE: 3w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø59*75(H)mm
CUT-OUT: 39mm
BEAM ANGLE: 360°
LUMENS: 50lm
MATERIAL: Alu Die Casting
BODY COLOR: White



ROFC-4803 INDIRECT

WATTAGE: 3w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 60*60*75(H)mm
CUT-OUT: 39mm
BEAM ANGLE: 360°
LUMENS: 50lm
MATERIAL: Alu Die Casting
BODY COLOR: White



Shine Outdoor Cieling/Surface



ROFS-0502 BRICK

WATTAGE: 2w
LED:Bridgelux
COLOR TEMP:3000K
DIMENSION: 90*60*40(H)mm
BEAM ANGLE:80°
LUMENS: 320lm
MATERIAL: Alu Die Casting
BODY COLOR:Graphite Grey



ROFS-0506 BRICK

WATTAGE: 6w
LED:Bridgelux
COLOR TEMP: 3000K
DIMENSION: 150*70*40(H)mm
BEAM ANGLE:120°
LUMENS: 640lm
MATERIAL: Alu Die Casting
BODY COLOR:Graphite Grey



ROFS-3203 BOXE

WATTAGE:3w
LED:Epistar
COLOR TEMP: 3K/4K/6K
DIMENSION: 85*85*50(H)mm
BEAM ANGLE:55°
LUMENS: 250lm
MATERIAL: Alu Die Casting
BODY COLOR:Graphite Grey



ROFS-3305 SLIMLINE

WATTAGE: 5w
LED:Bridgelux
COLOR TEMP:3K/4K/6K
DIMENSION: 200*95*37(H)mm
BEAM ANGLE: 120°
LUMENS: 475lm
MATERIAL: Alu Die Casting
BODY COLOR:Graphite Grey



ROFS-3608 MOON

WATTAGE: 8w
LED:Bridgelux
COLOR TEMP:3000K
DIMENSION: Ø130*68(H)mm
BEAM ANGLE:120°
LUMENS: 750lm
MATERIAL: Alu Die Casting
BODY COLOR:Graphite Grey



ROFS-3804 NANO

WATTAGE:4w
LED: Bridgelux
COLOR TEMP: 3000K
DIMENSION: Ø115*30(H)mm
BEAM ANGLE:120°
LUMENS: 380lm
MATERIAL: Alu Die Casting
BODY COLOR:Graphite Grey




ROFS-3904 NANO


WATTAGE: 4w
LED:Bridgelux
COLOR TEMP: 3000K
DIMENSION: 115*115*30(H)mm
BEAM ANGLE: 120°
LUMENS: 380lm
MATERIAL: Alu Die Casting
BODY COLOR:Graphite Grey



Shine Outdoor Burial Light



Shine Outdoor Burial Light



ROBL-0101 LEDO

WATTAGE: 1w
LED: Epistar
COLOR TEMP: 3K/4K/6K/R/G/B
DIMENSION: Ø45*45(H)mm
CUT-OUT: 35mm
BEAM ANGLE: 24°
LUMENS: 120lm
MATERIAL: Alu Die Casting
BODY COLOR: SS Finish



ROBL-0201 LEDO

WATTAGE: 1W
LED: Epistar
COLOR TEMP: 3K/4K/6K/R/G/B
DIMENSION: 45*45*45(H)mm
CUT-OUT: 35mm
BEAM ANGLE: 24°
LUMENS: 280lm
MATERIAL: Alu Die Casting
BODY COLOR: SS Finish



ROBL-0703 LEDO



WATTAGE: 3w
LED: Epistar
COLOR TEMP: 3K/4K/6K/R/G/B
DIMENSION: Ø45*45(H)mm
CUT-OUT: 35mm
BEAM ANGLE: 36°
LUMENS: 300lm
MATERIAL: Alu Die Casting
BODY COLOR: SS Finish

ROBL-0803 LEDO



WATTAGE: 3w
LED: Epistar
COLOR TEMP: 3K/4K/6K/R/G/B
DIMENSION: 45*45*45(H)mm
CUT-OUT: 35mm
BEAM ANGLE: 36°
LUMENS: 300lm
MATERIAL: Alu Die Casting
BODY COLOR: SS Finish



ROBL-106 PISTON




WATTAGE: 6w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø85*97(H)mm
CUT-OUT: 70mm
BEAM ANGLE: 38°
LUMENS: 510lm
MATERIAL: Alu Die Casting
BODY COLOR: SS.Finish

ROBL-112 PISTON



WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø110*110*105(H)mm
CUT-OUT: 90mm
BEAM ANGLE: 38°
LUMENS: 1020lm
MATERIAL: Alu Die Casting
BODY COLOR: SS.Finish

Shine Outdoor Burial Light



ROBL-2302 TRENDY



WATTAGE: 2w
LED: Bridgelux
COLOR TEMP: 3000K
DIMENSION: Ø85*70(H)mm
CUT-OUT: 70mm
BEAM ANGLE: 105°
LUMENS: 70lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey

ROBL-1702 TRENDY



WATTAGE: 2*1w
LED: Bridgelux
COLOR TEMP: 3000K
DIMENSION: Ø85*70(H)mm
CUT-OUT: 70mm
BEAM ANGLE: 105°
LUMENS: 70lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey

ROBL-1804 TRENDY



WATTAGE: 4*1w
LED: Bridgelux
COLOR TEMP: 3000K
DIMENSION: Ø85*70(H)mm
CUT-OUT: 70mm
BEAM ANGLE: 105°
LUMENS: 70lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROBL-1904 TAURUS

WATTAGE: 4w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø60*75(H)mm
CUT-OUT: 39mm
BEAM ANGLE: 44°
LUMENS: 50lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROBL-2004 TAURUS

WATTAGE: 4w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø60*75(H)mm
CUT-OUT: 39mm
BEAM ANGLE: 44°
LUMENS: 50lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROBL-2104 TAURUS

WATTAGE: 4w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: 60*60*75(H)mm
CUT-OUT: 39mm
BEAM ANGLE: 44°
LUMENS: 50lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROBL-2204 TAURUS

WATTAGE: 4w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: 60*60*75(H)mm
CUT-OUT: 39mm
BEAM ANGLE: 44°
LUMENS: 50lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



Shine Outdoor Bollard



Shine Outdoor Bollard



ROB-0300 HUT



WATTAGE: E27

DIMENSION: 220*205(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

ROB-1500 HUT



WATTAGE: E27

DIMENSION: 220*500(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

ROB-1600 HUT



WATTAGE: E27

DIMENSION: 220*760(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

ROWL-7800 HUT



WATTAGE: E27

DIMENSION: 220*260*205(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

Shine Outdoor Bollard



ROB-0400 MAGNUM

ROB-0900 MAGNUM

ROB-1700 MAGNUM

ROWL-6100 MAGNUM



WATTAGE: E27

DIMENSION: Ø220*200(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

WATTAGE: E27

DIMENSION: Ø220*500(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

WATTAGE: E27

DIMENSION: Ø220*760(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

WATTAGE: E27

DIMENSION: Ø200*240*200(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

Shine Outdoor Bollard



ROB-0700 S SHAPED

ROB-100 S SHAPED

ROB-1200 S SHAPED

ROWL-5600 S SHAPED



WATTAGE: E27

DIMENSION: 180*230(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

WATTAGE: E27

DIMENSION: 180*500(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

WATTAGE: E27

DIMENSION: 180*760(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

WATTAGE: E27

DIMENSION: 180*230*230(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

Shine Outdoor Bollard



ROB-1309SLEEK

ROB-1409SLEEK

ROB-1809SLEEK

ROWL-5709 SLEEK



WATTAGE: 9w

LED:Epistar

COLOR TEMP: 3000K/6000K

DIMENSION: Ø105*300(H)mm

BEAM ANGLE: 110°

LUMENS: 850lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

WATTAGE: 9w

LED:Epistar

COLOR TEMP: 3000K/6000K

DIMENSION: Ø105*500(H)mm

BEAM ANGLE: 110°

LUMENS: 850lm

MATERIAL: Alu Die Casting

BODY COLOR:Graphite Grey

WATTAGE: 9w

LED:Epistar

COLOR TEMP: 3000K/6000K

DIMENSION: Ø105*760(H)mm

BEAM ANGLE: 110°

LUMENS: 850lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

WATTAGE: 9w

LED:Epistar

COLOR TEMP: 3000K/6000K

DIMENSION: Ø105*175*300(H)mm

BEAM ANGLE:110°

LUMENS: 850lm

MATERIAL: Alu Die Casting

BODY COLOR:Graphite Grey

Shine Outdoor Bollard



ROB-3800
PHANTOM



WATTAGE: E27

DIMENSION: 160*176(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

ROB-1000
PHANTOM



WATTAGE: E27

DIMENSION: 220*220(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

ROB-3906
PICKET



WATTAGE: 6w

LED: Bridgelux

COLOR TEMP: 3000K

DIMENSION: 124*82(H)mm

BEAM ANGLE: 44°

LUMENS: 580lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

ROB-2000 TEMPLE



WATTAGE: E27

DIMENSION: 150*165(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

ROB-2000 BIG TEMPLE



WATTAGE: E27

DIMENSION: 250*250*265(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



ROB-0600 VICTORIAN



WATTAGE: E27

DIMENSION: 220*440(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

ROB-1900 CUBIC



WATTAGE: E27

DIMENSION: 100*200(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

ROB-4000 EROS



WATTAGE: E27

DIMENSION: 260*260*220(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

ROB-4100 LUNA



WATTAGE: E27

DIMENSION: 220*225(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

Shine Outdoor Bollard

ROB-2512 TOWER



WATTAGE:12w

LED:Cree/Bridgelux

COLOR TEMP:3K/4K/6K

DIMENSION:109*109*300(H)mm

BEAM ANGLE: 47°

LUMENS:1200lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

ROB-2612 TOWER



WATTAGE:12w

LED: Cree/Bridgelux

COLOR TEMP:3K/4K/6K

DIMENSION:109*109*600(H)mm

BEAM ANGLE:47°

LUMENS:1200lm

MATERIAL:Alu Die Casting

BODY COLOR: Graphite Grey



ROB-2712 PLAZA



WATTAGE: 12w

LED: Cree/Bridgelux

COLOR TEMP:3K/4K/6K

DIMENSION: 160*55*300(H)mm

BEAM ANGLE: 329°

LUMENS:878lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

ROB-2812 PLAZA



WATTAGE: 12w

LED: Cree/Bridgelux

COLOR TEMP:3K/4K/6K

DIMENSION: 160*55*600(H)mm

BEAM ANGLE:329°

LUMENS: 878lm

MATERIAL:Alu Die Casting

BODY COLOR:Graphite Grey

Shine Outdoor Bollard



ROB-2106 REGAL



WATTAGE: 6w
LED: Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø106*102(H)mm
BEAM ANGLE: 44°
LUMENS: 580lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey

ROB-2206 REGAL

WATTAGE: 6w
LED: Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 108*107(H)mm
BEAM ANGLE: 44°
LUMENS: 580lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROB-3000 TRIANGLE DAZZLE

WATTAGE: E27
DIMENSION: 125*300(H)mm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey

ROB-3100 TRIANGLE DAZZLE

WATTAGE: E27
DIMENSION: 125*500(H)mm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROB-3200 TRIANGLE DAZZLE

WATTAGE: E27
DIMENSION: 125*750(H)mm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey

Shine Outdoor Bulkhead



ROB-3300 BLAZE

WATTAGE: E27

DIMENSION: 85*300(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

ROB-3400 BLAZE

WATTAGE: E27

DIMENSION: 85*500(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



ROB-3500 BLAZE

WATTAGE: E27

DIMENSION: 85*800(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



ROB-3609 FLARE

WATTAGE: 9w

LED: Epistar

COLOR TEMP: 3000K

DIMENSION: Ø80*500(H)mm

BEAM ANGLE: 113°

LUMENS: 900lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



ROB-3709 FLARE

WATTAGE: 9w

LED: Epistar

COLOR TEMP: 3000K

DIMENSION: Ø70*750(H)mm

BEAM ANGLE: 113°

LUMENS: 900lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



ROB-2906 ARCH

WATTAGE: 6w

LED: Cree/Bridgelux

COLOR TEMP: 3K/4K/6K


DIMENSION: Ø32*600(H)mm

BEAM ANGLE: 85°

LUMENS: 380lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



Shine Outdoor Bulkhead



ROBH-0105 BROS



WATTAGE: 6w

LED: Epister

COLOR TEMP: 3000K/6000K

DIMENSION: 80*233(H)mm

BEAM ANGLE: 180°

LUMENS: 85lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

ROBH-0408 MELON



WATTAGE: 8w

LED: Epister

COLOR TEMP: 3K/4K/6K

DIMENSION: 85*210*65(H)mm

BEAM ANGLE: 150°

LUMENS: 350lm

MATERIAL: Pvc+Pc Diffuser

BODY COLOR: Graphite Grey





FOLLOW US ON



www.shineplusled.com



[shineplusled](https://www.instagram.com/shineplusled)



[shineledsolutions](https://www.facebook.com/shineledsolutions)

SHINE CONCEPTS PVT LTD

Off No. 521, A-Wing, Lodha Supremus II,
Road No 22, Wagle Estate,
Thane(W) - 400604
91-22-49748031/32/33
sales@shineplusled.com

LEGAL NOTICE:

All rights reserved. The content of this CATALOGUE is subject to change without any prior notice. All images, statements, offerings included in this CATALOGUE are of the company. The Company reserves its rights to suitable changes, after or omit anything contained herein.